

Alive and Kicking / Alive and Kicking Sample Pack

 Sample ID: 1912CSALA1644.8954
 Matrix: Plant
 Type: Preroll
 Sample Size: 8 units
 Batch Size: 515 units
 Batch#: A1

 Strain: Alive and Kicking
 Produced: 09/09/2019
 Collected: 12/19/2019
 Received: 12/19/2019
 Completed: 12/23/2019
 METRC ID: 1A406030000714C000000182

 Distributor
Mid City Cannabis Club
 Lic. # C11-0000244-LIC
 5057 W Pico blvd , Los Angeles , CA, 90019

 Producer
Mid City Cannabis Club, Inc
 Lic. # C11-0000244-LIC
 5057 W Pico Blvd, Los Angeles, CA 90019


Summary

Pass

15.66% Total Cannabinoids	Pass Pesticides	Pass Residual Solvents
Pass Microbials	Pass Mycotoxins	Pass Heavy Metals

Cannabinoids

Testing method: HPLC-SOP 101

Pass

Analyte	LOD	LOQ	Results	Results
	%	%	%	mg/g
CBDa	0.00002	0.0001	9.15	91.50
THCa	0.00002	0.0001	5.13	51.34
CBD	0.00004	0.0001	0.66	6.59
Δ9-THC	0.00004	0.0001	0.37	3.69
CBGa	0.00002	0.0001	0.24	2.41
CBG	0.00004	0.0001	0.06	0.58
CBC	0.00001	0.0001	0.05	0.49
CBDV	0.00001	0.0001	ND	ND
CBN	0.00002	0.0001	ND	ND
THCV	0.00004	0.0001	ND	ND
Δ8-THC	0.00004	0.0001	ND	ND
Total			15.66	156.61

4.87%
Total THC
8.68%
Total CBD

Date Tested: 12/23/2019

Total THC = THCa * 0.877 + d9-THC

Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

The reported result is based on a sample weight with the applicable moisture content for that sample;

Terpenes

Testing method: HS-GC-FID - SOP 201

Complete

Analyte	LOD	LOQ	Results	Results
	%	%	%	mg/g
β-Caryophyllene	0.00017	0.0013	0.19	1.90
Guaiol	0.00018	0.0013	0.08	0.76
α-Humulene	0.00057	0.0013	0.07	0.72
α-Bisabolol	0.00015	0.0013	0.05	0.46
Linalool	0.00015	0.0013	0.04	0.35
trans-Nerolidol	0.00058	0.0013	0.03	0.26
Camphene	0.00072	0.0013	ND	ND
Caryophyllene Oxide	0.00017	0.0013	ND	ND
Eucalyptol	0.00017	0.0013	ND	ND
Geraniol	0.00013	0.0013	ND	ND
Isopulegol	0.00011	0.0013	ND	ND
Ocimene	0.00013	0.0013	ND	ND
p-Cymene	0.0001	0.0013	ND	ND
Terpinolene	0.00016	0.0013	ND	ND
α-Pinene	0.00015	0.0013	ND	ND
α-Terpinene	0.00012	0.0013	ND	ND
β-Myrcene	0.00012	0.0013	ND	ND
β-Pinene	0.00034	0.0013	ND	ND
γ-Terpinene	0.00012	0.0013	ND	ND
δ-3-Carene	0.0004	0.0013	ND	ND
δ-Limonene	0.00016	0.0013	ND	ND
Total			0.45	4.46

Date Tested: 12/20/2019

9.3%
Moisture

 Moisture Analyzer SOP-103
 Date Tested: 12/20/2019

0.440 aw
Water Activity

 Water Activity Meter SOP-102
 Date Tested: 12/20/2019

Pass
Foreign Matter

 Visual Inspection SOP-600
 Date Tested: 12/20/2019

 ISO / IEC 17025:2017 ACCREDITED LABORATORY
 Accreditation No. 73653



 Mallory Speakman
 Laboratory Director - LA
 12/23/2019



 Anya Engen
 Quality Review
 12/23/2019



 Amanda Bravo
 COA Review
 12/23/2019

Alive and Kicking / Alive and Kicking Sample Pack

 Sample ID: 1912CSALA1644.8954
 Matrix: Plant
 Type: Preroll
 Sample Size: 8 units
 Batch Size: 515 units
 Batch#: A1

 Strain: **Alive and Kicking**
 Produced: 09/09/2019
 Collected: 12/19/2019
 Received: 12/19/2019
 Completed: 12/23/2019
 METRC ID: 1A406030000714C000000182

 Distributor
Mid City Cannabis Club
 Lic. # C11-0000244-LIC
 5057 W Pico blvd , Los Angeles , CA, 90019

 Producer
Mid City Cannabis Club, Inc
 Lic. # C11-0000244-LIC
 5057 W Pico Blvd, Los Angeles, CA 90019

Pesticides

Testing method: LCMS & GCMS-SOP 301 and 302

Pass

Analyte	LOD	LOQ	Limit	Results	Status	Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.0009	0.003	0.1	ND	Pass	Fludioxonil	0.0143	0.048	0.1	ND	Pass
Acephate	0.005	0.017	0.1	ND	Pass	Hexythiazox	0.0237	0.079	0.1	ND	Pass
Acequinocyl	0.0193	0.064	0.1	ND	Pass	Imazalil *	0.0077	0.026	0.0077	ND	Pass
Acetamiprid	0.0073	0.024	0.1	ND	Pass	Imidacloprid	0.0053	0.018	5.0	ND	Pass
Aldicarb *	0.0094	0.031	0.0094	ND	Pass	Kresoxim Methyl	0.0182	0.061	0.1	ND	Pass
Azoxystrobin	0.015	0.05	0.1	ND	Pass	Malathion	0.015	0.05	0.5	ND	Pass
Bifenazate	0.0129	0.043	0.1	ND	Pass	Metaxyl	0.0076	0.025	2.0	ND	Pass
Bifenthrin	0.029	0.097	3.0	ND	Pass	Methiocarb *	0.0103	0.034	0.0103	ND	Pass
Boscalid	0.0172	0.058	0.1	ND	Pass	Methomyl	0.0109	0.036	1.0	ND	Pass
Captan	0.036	0.12	0.7	ND	Pass	Methyl Parathion *	0.0091	0.0303	0.0091	ND	Pass
Carbaryl	0.0542	0.181	0.5	ND	Pass	Mevinphos *	0.0041	0.014	0.0041	ND	Pass
Carbofuran *	0.0077	0.026	0.0077	ND	Pass	Myclobutanil	0.01	0.033	0.1	ND	Pass
Chlorantraniliprole	0.0095	0.032	10.0	ND	Pass	Naled	0.0107	0.036	0.1	ND	Pass
Chlordane *	0.0055	0.0182	0.0055	ND	Pass	Oxamyl	0.0071	0.024	0.5	ND	Pass
Chlorfenapyr *	0.0048	0.0159	0.0048	ND	Pass	Paclobutrazol *	0.0092	0.031	0.0092	ND	Pass
Chlorpyrifos *	0.0197	0.066	0.0197	ND	Pass	Pentachloronitrobenzene	0.0084	0.0279	0.1	ND	Pass
Clofentezine	0.0216	0.072	0.1	ND	Pass	Permethrin	0.0142	0.048	0.5	ND	Pass
Coumaphos *	0.0196	0.065	0.0196	ND	Pass	Phosmet	0.0138	0.046	0.1	ND	Pass
Cyfluthrin	0.0107	0.036	2.0	ND	Pass	Piperonyl Butoxide	0.0156	0.052	3.0	ND	Pass
Cypermethrin	0.0105	0.035	1.0	ND	Pass	Prallethrin	0.018	0.06	0.1	ND	Pass
Daminozide *	0.0052	0.017	0.0052	ND	Pass	Propiconazole	0.013	0.043	0.1	ND	Pass
DDVP *	0.0081	0.027	0.0081	ND	Pass	Propoxur *	0.0097	0.033	0.0097	ND	Pass
Diazinon	0.0134	0.045	0.1	ND	Pass	Pyrethrins	0.0025	0.008	0.5	ND	Pass
Dimethoate *	0.0083	0.028	0.0083	ND	Pass	Pyridaben	0.0236	0.079	0.1	ND	Pass
Dimethomorph	0.0025	0.008	2.0	ND	Pass	Spinetoram	0.0042	0.014	0.1	ND	Pass
Ethoprophos *	0.0112	0.037	0.0112	ND	Pass	Spinosad	0.0002	0.001	0.1	ND	Pass
Etofenprox *	0.0247	0.082	0.0247	ND	Pass	Spiromesifen	0.0199	0.066	0.1	ND	Pass
Etoxazole	0.0269	0.09	0.1	ND	Pass	Spirotetramat	0.0068	0.023	0.1	ND	Pass
Fenhexamid	0.0215	0.072	0.1	ND	Pass	Spiroxamine *	0.0065	0.022	0.0065	ND	Pass
Fenoxycarb *	0.0186	0.062	0.0186	ND	Pass	Tebuconazole	0.0099	0.033	0.1	ND	Pass
Fenpyroximate	0.0253	0.084	0.1	ND	Pass	Thiacloprid *	0.0094	0.031	0.0094	ND	Pass
Fipronil *	0.0228	0.076	0.0228	ND	Pass	Thiamethoxam	0.005	0.017	5.0	ND	Pass
Flonicamid	0.0073	0.024	0.1	ND	Pass	Trifloxystrobin	0.0192	0.064	0.1	ND	Pass

Date Tested: 12/20/2019

* Denotes Category I pesticides, which fail when detected; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED LABORATORY
 Accreditation No. 73653


 Mallory Speakman
 Laboratory Director - LA
 12/23/2019

 Anya Engen
 Quality Review
 12/23/2019

 Amanda Bravo
 COA Review
 12/23/2019

Alive and Kicking / Alive and Kicking Sample Pack

Sample ID: 1912CSALA1644.8954	Strain: Alive and Kicking		
Matrix: Plant	Produced: 09/09/2019		
Type: Preroll	Collected: 12/19/2019	Distributor	Producer
Sample Size: 8 units	Received: 12/19/2019	Mid City Cannabis Club	Mid City Cannabis Club, Inc
Batch Size: 515 units	Completed: 12/23/2019	Lic. # C11-0000244-LIC	Lic. # C11-0000244-LIC
Batch#: A1	METRC ID: 1A406030000714C000000182	5057 W Pico blvd , Los Angeles , CA, 90019	5057 W Pico Blvd, Los Angeles, CA 90019

Microbials

Pass

Testing method: PCR-SOP 400

Analyte	Result	Status
Aspergillus flavus	Not Detected	Pass
Aspergillus fumigatus	Not Detected	Pass
Aspergillus niger	Not Detected	Pass
Aspergillus terreus	Not Detected	Pass
Salmonella	Not Detected	Pass
Shiga toxin-producing E. Coli	Not Detected	Pass

Date Tested: 12/23/2019

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Mycotoxins

Pass

Testing method: LCMS-SOP 301

Analyte	LOD	LOQ	Limit	Results	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
Aflatoxin B1	0.0036	0.012		ND	Tested
Aflatoxin B2	0.0092	0.031		ND	Tested
Aflatoxin G1	0.0058	0.019		ND	Tested
Aflatoxin G2	0.0034	0.011		ND	Tested
Total Aflatoxins			20.0	ND	Pass
Ochratoxin A	0.0113	0.038	20.0	ND	Pass

Date Tested: 12/23/2019

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Heavy Metals

Pass

Testing method: ICPMS-SOP 502

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.02	0.06	0.2	ND	Pass
Cadmium	0.03	0.1	0.2	<LOQ	Pass
Lead	0.002	0.005	0.5	0.107	Pass
Mercury	0.02	0.06	0.1	ND	Pass

Date Tested: 12/20/2019

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED LABORATORY
 Accreditation No. 73653

 Mallory Speakman
 Laboratory Director - LA
 12/23/2019

 Anya Engen
 Quality Review
 12/23/2019

 Amanda Bravo
 COA Review
 12/23/2019

Alive and Kicking / Alive and Kicking Sample Pack

 Sample ID: 1912CSALA1644.8954
 Matrix: Plant
 Type: Preroll
 Sample Size: 8 units
 Batch Size: 515 units
 Batch#: A1

 Strain: **Alive and Kicking**
 Produced: 09/09/2019
 Collected: 12/19/2019
 Received: 12/19/2019
 Completed: 12/23/2019
 METRC ID: 1A406030000714C000000182

 Distributor
Mid City Cannabis Club
 Lic. # C11-0000244-LIC
 5057 W Pico blvd , Los Angeles , CA, 90019

 Producer
Mid City Cannabis Club, Inc
 Lic. # C11-0000244-LIC
 5057 W Pico Blvd, Los Angeles, CA 90019

Residual Solvents

Testing method: HSGCMS-SOP 202

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.1	0.4	1	ND	Pass
Acetone	64.0	214.0	5000	ND	Pass
Acetonitrile	36.0	119.0	410	ND	Pass
Benzene	0.1	0.2	1	ND	Pass
Butane	42.0	141.0	5000	ND	Pass
Chloroform	0.1	0.4	1	ND	Pass
Ethanol	59.0	197.0	5000	ND	Pass
Ethyl-Acetate	43.0	144.0	5000	ND	Pass
Ethylene Oxide	0.2	0.6	1	ND	Pass
Ethyl-Ether	40.0	134.0	5000	ND	Pass
Heptane	46.0	154.0	5000	ND	Pass
Isopropanol	41.0	138.0	5000	ND	Pass
Methanol	160.0	534.0	3000	ND	Pass
Methylene-Chloride	0.1	0.4	1	ND	Pass
n-Hexane	42.0	139.0	290	ND	Pass
Pentane	69.0	229.0	5000	ND	Pass
Propane	21.0	70.0	5000	ND	Pass
Toluene	47.0	156.0	890	ND	Pass
Trichloroethene	0.1	0.4	1	ND	Pass
Xylenes	86.0	287.0	2170	ND	Pass

Date Tested: 12/20/2019

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED LABORATORY
 Accreditation No. 73653

 Mallory Speakman
 Laboratory Director - LA
 12/23/2019

 Anya Engen
 Quality Review
 12/23/2019

 Amanda Bravo
 COA Review
 12/23/2019