

## Wedding Crasher

METRC Sample: 1A406030000872A000010632; METRC Batch: 1A4060300000ED9000011558

Sample ID: 2012CGL2282.5630

Produced: 10/20/2020

Distributor

Producer

Strain: Wedding Crasher

Collected: 12/04/2020

**Blunt Brother Distribution**

**CP1 Supply Systems Inc**

Matrix: Plant

Received: 12/04/2020

Lic. # C11-0000499-LIC

Lic. # CCL18-0001154

Type: Flower - Cured

Completed: 12/10/2020

2211 Hunts Lane

1072 Casitas Pass Rd #324 Carpinteria Ca

Sample Size: 12 g; Batch: 4.37 lb

Batch#: LOT02313-W-C-1000403

San Bernardino, CA 92408

93013



## Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	12/08/2020	Complete
Moisture	12/08/2020	9.0% - Complete
Water Activity	12/09/2020	0.25 aw - Pass
Terpenes	12/10/2020	Complete
Microbials	12/08/2020	Pass
Mycotoxins	12/09/2020	Pass
Pesticides	12/09/2020	Pass
Heavy Metals	12/09/2020	Pass
Foreign Matter	12/06/2020	Pass

## Cannabinoids

Complete

**22.369%**

**ND**

**26.439%**

Total THC

Total CBD

Total Cannabinoids

Analyte	LOD	LOQ	Result	Result
	mg/g	mg/g	%	mg/g
THCa	0.54	1.07	24.546	245.46
Δ9-THC	0.80	1.07	0.842	8.42
Δ8-THC	0.80	1.07	ND	ND
THCV	0.80	1.07	ND	ND
CBDa	0.54	1.07	ND	ND
CBD	0.80	1.07	ND	ND
CBDV	0.80	1.07	ND	ND
CBN	0.54	1.07	ND	ND
CBGa	0.54	1.07	1.052	10.52
CBG	0.80	1.07	ND	ND
CBC	0.54	1.07	ND	ND
<b>Total THC</b>			<b>22.369</b>	<b>223.69</b>
<b>Total CBD</b>			<b>ND</b>	<b>ND</b>
<b>Total</b>			<b>26.439</b>	<b>264.39</b>

Date Tested: 12/08/2020

Potency by UHPLC: CGL-P-720-009-B

Total THC = THCa \* 0.877 + Δ9-THC; Total CBD = CBDa \* 0.877 + CBD

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



*Michael Walley*

Michael Walley - Laboratory Director  
12/10/2020

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



This product has been tested by Caligreen Laboratories using valid testing methodologies and a quality system as required by state law. Water activity and moisture content method: CGL-WAMC-ROHAUS. The instruments used are the Rotronic HC2-AW-USB Water Activity and Temperature meter and OHAUS MB27 Moisture Analyzer. The SOP for foreign material is CGL-FM-DINO performed with the Dino-Lite A904126 digital microscope. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analyte limits are regulatory limits set by the BCC. This constitutes the required decision rule. Values reported relate only to the product tested. Caligreen Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Caligreen Laboratories.

## Wedding Crasher

METRC Sample: 1A406030000872A000010632; METRC Batch: 1A4060300000ED9000011558

Sample ID: 2012CGL2282.5630

Produced: 10/20/2020

Distributor

Producer

Strain: Wedding Crasher

Collected: 12/04/2020

**Blunt Brother Distribution**

**CP1 Supply Systems Inc**

Matrix: Plant

Received: 12/04/2020

Lic. # C11-0000499-LIC

Lic. # CCL18-0001154

Type: Flower - Cured

Completed: 12/10/2020

2211 Hunts Lane

1072 Casitas Pass Rd #324 Carpinteria Ca

Sample Size: 12 g; Batch: 4.37 lb

Batch#: LOT02313-W-C-1000403

San Bernardino, CA 92408

93013

## Terpenes

Terpenes	LOD	LOQ	Mass	Mass
	%	%	%	mg/g
δ-Limonene	0.00	0.01	0.39	3.9
β-Myrcene	0.00	0.01	0.14	1.4
α-Pinene	0.00	0.01	0.08	0.8
β-Caryophyllene	0.00	0.01	0.07	0.7
Linalool	0.00	0.01	0.02	0.2
Camphene	0.00	0.01	0.02	0.2
cis-Nerolidol	0.00	0.01	0.02	0.2
α-Humulene	0.00	0.01	0.02	0.2
trans-Ocimene	0.00	0.01	0.02	0.2
Terpinolene	0.00	0.01	0.01	0.1
cis-Ocimene	0.00	0.01	0.01	0.1
3-Carene	0.00	0.01	ND	ND
α-Bisabolol	0.00	0.01	ND	ND
α-Terpinene	0.00	0.01	ND	ND
β-Pinene	0.00	0.01	ND	ND
Caryophyllene Oxide	0.01	0.01	ND	ND
Eucalyptol	0.00	0.01	ND	ND
γ-Terpinene	0.00	0.01	ND	ND
Geraniol	0.00	0.01	ND	ND
Guaiol	0.00	0.01	ND	ND
Isopulegol	0.00	0.01	ND	ND
p-Cymene	0.00	0.01	ND	ND
trans-Nerolidol	0.00	0.01	ND	ND
<b>Total</b>			<b>0.79</b>	<b>7.9</b>

TESTED & TRUSTED

## Primary Aromas



Date Tested: 12/10/2020

Terpenes by HSGC-MS: CGL-P-720-011-B

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



*Michael Walley*

Michael Walley - Laboratory Director  
12/10/2020

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



This product has been tested by Caligreen Laboratories using valid testing methodologies and a quality system as required by state law. Water activity and moisture content method: CGL-WAMC-ROHAUS. The instruments used are the Rotronic HC2-AW-USB Water Activity and Temperature meter and OHAUS MB27 Moisture Analyzer. The SOP for foreign material is CGL-FM-DINO performed with the Dino-Lite A904126 digital microscope. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analyte limits are regulatory limits set by the BCC. This constitutes the required decision rule. Values reported relate only to the product tested. Caligreen Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Caligreen Laboratories.

## Wedding Crasher

METRC Sample: 1A406030000872A000010632; METRC Batch: 1A4060300000ED9000011558

Sample ID: 2012CGL2282.5630

Produced: 10/20/2020

Distributor

Producer

Strain: Wedding Crasher

Collected: 12/04/2020

Blunt Brother Distribution

CP1 Supply Systems Inc

Matrix: Plant

Received: 12/04/2020

Lic. # C11-0000499-LIC

Lic. # CCL18-0001154

Type: Flower - Cured

Completed: 12/10/2020

2211 Hunts Lane

1072 Casitas Pass Rd #324 Carpinteria Ca

Sample Size: 12 g; Batch: 4.37 lb

Batch#: LOT02313-W-C-1000403

San Bernardino, CA 92408

93013

## Pesticides

Pass

Pesticides	LOD	LOQ	Limit	Mass	Status	Pesticides	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.0375	0.075	0.1	ND	Pass	Fludioxonil	0.01875	0.075	0.1	ND	Pass
Acephate	0.01875	0.075	0.1	ND	Pass	Hexythiazox	0.01875	0.075	0.1	ND	Pass
Acequinocyl	0.075	0.1	0.1	ND	Pass	Imazalil	0.01875	0.075	0.01875	ND	Pass
Acetamiprid	0.01875	0.075	0.1	ND	Pass	Imidacloprid	0.01875	0.075	5	ND	Pass
Aldicarb	0.01875	0.075	0.01875	ND	Pass	Kresoxim Methyl	0.01875	0.075	0.1	ND	Pass
Azoxystrobin	0.01875	0.075	0.1	ND	Pass	Malathion	0.01875	0.1	0.5	ND	Pass
Bifenazate	0.01875	0.075	0.1	ND	Pass	Metalaxyl	0.01875	0.1	2	ND	Pass
Bifenthrin	0.01875	0.1	3	ND	Pass	Methiocarb	0.01875	0.075	0.01875	ND	Pass
Boscalid	0.01875	0.075	0.1	ND	Pass	Methomyl	0.01875	0.075	1	ND	Pass
Captan	0.01875	0.075	0.7	ND	Pass	Mevinphos	0.01875	0.075	0.01875	ND	Pass
Carbaryl	0.01875	0.1	0.5	ND	Pass	Myclobutanil	0.01875	0.075	0.1	ND	Pass
Carbofuran	0.01875	0.075	0.01875	ND	Pass	Naled	0.01875	0.075	0.1	ND	Pass
Chlorantraniliprole	0.01875	0.1	10	ND	Pass	Oxamyl	0.01875	0.075	0.5	ND	Pass
Chlordane	0.01875	0.075	0.01875	ND	Pass	Paclobutrazol	0.01875	0.075	0.01875	ND	Pass
Chlorfenapyr	0.01875	0.075	0.01875	ND	Pass	Parathion Methyl	0.01875	0.075	0.01875	ND	Pass
Chlorpyrifos	0.01875	0.075	0.01875	ND	Pass	Pentachloronitrobenzene	0.01875	0.075	0.1	ND	Pass
Clofentezine	0.01875	0.075	0.1	ND	Pass	Permethrin	0.01875	0.1	0.5	ND	Pass
Coumaphos	0.01875	0.075	0.01875	ND	Pass	Phosmet	0.01875	0.075	0.1	ND	Pass
Cyfluthrin	0.01875	0.075	2	ND	Pass	Piperonyl Butoxide	0.01875	0.1	3	ND	Pass
Cypermethrin	0.01875	0.075	1	ND	Pass	Prallethrin	0.01875	0.075	0.1	ND	Pass
Daminozide	0.01875	0.075	0.01875	ND	Pass	Propiconazole	0.01875	0.075	0.1	ND	Pass
Diazinon	0.01875	0.075	0.1	ND	Pass	Propoxur	0.01875	0.075	0.01875	ND	Pass
Dichlorvos	0.01875	0.075	0.01875	ND	Pass	Pyrethrins	0.0375	0.1	0.5	ND	Pass
Dimethoate	0.01875	0.075	0.01875	ND	Pass	Pyridaben	0.01875	0.075	0.1	ND	Pass
Dimethomorph	0.01875	0.1	2	ND	Pass	Spinetoram	0.01875	0.075	0.1	ND	Pass
Ethoprophos	0.01875	0.075	0.01875	ND	Pass	Spinosad	0.01875	0.075	0.1	ND	Pass
Etofenprox	0.0375	0.075	0.0375	ND	Pass	Spiromesifen	0.01875	0.075	0.1	ND	Pass
Etoazole	0.01875	0.075	0.1	ND	Pass	Spirotetramat	0.01875	0.075	0.1	ND	Pass
Fenhexamid	0.0375	0.075	0.1	ND	Pass	Spiroxamine	0.01875	0.075	0.01875	ND	Pass
Fenoxycarb	0.01875	0.075	0.01875	ND	Pass	Tebuconazole	0.01875	0.075	0.1	ND	Pass
Fenpyroximate	0.05625	0.075	0.1	ND	Pass	Thiacloprid	0.01875	0.075	0.01875	ND	Pass
Fipronil	0.01875	0.075	0.01875	ND	Pass	Thiamethoxam	0.01875	0.075	5	ND	Pass
Flonicamid	0.0375	0.075	0.1	ND	Pass	Trifloxystrobin	0.01875	0.075	0.1	ND	Pass

Date Tested: 12/09/2020

Pesticides by LC-MSMS: CGL-P-720-007-B; Pesticides by GC-MSMS: CGL-P-720-008-B

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



*Michael Walley*

Michael Walley - Laboratory Director  
12/10/2020

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



This product has been tested by Caligreen Laboratories using valid testing methodologies and a quality system as required by state law. Water activity and moisture content method: CGL-WAMC-ROHAUS. The instruments used are the Rotronic HC2-AW-USB Water Activity and Temperature meter and OHAUS MB27 Moisture Analyzer. The SOP for foreign material is CGL-FM-DINO performed with the Dino-Lite A904126 digital microscope. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analyte limits are regulatory limits set by the BCC. This constitutes the required decision rule. Values reported relate only to the product tested. Caligreen Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Caligreen Laboratories.

## Wedding Crasher

METRC Sample: 1A406030000872A000010632; METRC Batch: 1A4060300000ED9000011558

Sample ID: 2012CGL2282.5630	Produced: 10/20/2020	Distributor	Producer
Strain: Wedding Crasher	Collected: 12/04/2020	<b>Blunt Brother Distribution</b>	<b>CP1 Supply Systems Inc</b>
Matrix: Plant	Received: 12/04/2020	Lic. # C11-0000499-LIC	Lic. # CCL18-0001154
Type: Flower - Cured	Completed: 12/10/2020	2211 Hunts Lane	1072 Casitas Pass Rd #324 Carpinteria Ca 93013
Sample Size: 12 g; Batch: 4.37 lb	Batch#: LOT02313-W-C-1000403	San Bernardino, CA 92408	

## Microbials

Pass

Microbials	Result	Status
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shiga toxin-producing E. Coli	Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Pass

Date Tested: 12/08/2020  
Microbials by qPCR: CGL-P-720-013-A  
TNTC = Too Numerous to Count

## Mycotoxins

Pass

Mycotoxins	LOD	LOQ	Limit	Result	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
B1	1.25	5		ND	Tested
B2	1.25	5		ND	Tested
G1	1.25	5		ND	Tested
G2	2.5	5		ND	Tested
Total Aflatoxins			20	ND	Pass
Ochratoxin A	6.6	16.6	20	ND	Pass

Date Tested: 12/09/2020  
Mycotoxins by LC-MSMS: CGL-P-720-007-B  
LOQ = Limit of Quantitation

## Heavy Metals

Pass

Metals	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.000124	0.05	0.2	<LOQ	Pass
Cadmium	0.000111	0.05	0.2	<LOQ	Pass
Lead	0.000119	0.05	0.5	0.050875	Pass
Mercury	0.000097	0.05	0.1	<LOQ	Pass

Date Tested: 12/09/2020  
Heavy Metals by ICP-MS: CGL-P-720-012-B  
LOQ = Limit of Quantitation



*Michael Walley*

Michael Walley - Laboratory Director  
12/10/2020

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



This product has been tested by Caligreen Laboratories using valid testing methodologies and a quality system as required by state law. Water activity and moisture content method: CGL-WAMC-ROHAUS. The instruments used are the Rotronic HC2-AW-USB Water Activity and Temperature meter and OHAUS MB27 Moisture Analyzer. The SOP for foreign material is CGL-FM-DINO performed with the Dino-Lite A904126 digital microscope. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analyte limits are regulatory limits set by the BCC. This constitutes the required decision rule. Values reported relate only to the product tested. Caligreen Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Caligreen Laboratories.